09/995,681

EAST Search History

.

.

÷

Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L1	19	((modif\$4 or updat\$4 or chang\$4) with ((content or media or web) near2 page)) and ((difference or change) with compar\$5 with ((content or media or web) near2 page)) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 10:57
L2	0	((modif\$4 or updat\$4 or chang\$4) with ((content or media or web) near2 page)) and ((difference or change) with compar\$5 with ((content or media or web) near2 page)) and @ad < "20000620" and ((creat\$4 or generat\$4) with ((content or media or web) near2 page) with template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 10:52
L3	4	@ad < "20000620" and ((creat\$4 or generat\$4) with ((content or media or web) near2 page) with template with item)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 10:53
L4	0	@ad < "20000620" and ((creat\$4 or generat\$4) with ((content or media or web) near2 page) with template with item with (time\$1stamp or date or time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 10:53
L5	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "6055522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L6	2634	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L7	248	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L8	9	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

[·····					
L9	195	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L10	140	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L11	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L12	11	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L13	206	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L14	55	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L15	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L16	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L17	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L18	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

-

.

L19	22	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L20	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L21	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L22	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L23	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L24	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L25	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L26	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L27	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓR	ON	2007/09/15 11:56

:

		· · · · · · · · · · · · · · · · · · ·				1
L28	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L29	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L30	960	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L31	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L32	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L33	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L34	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L35	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L36	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

				-		
L37	45	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L38	150	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L39	198	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L40	274	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L41	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L42	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L43	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L44	20	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L45	481	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L46	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

,,				· · · · · · · · · · · · · · · · · · ·		
L47	226	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L48	51	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L49	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L50	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L51	36	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L52	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L53	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L54	12668	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L55	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L56	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

L57	176	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L58	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L59	93	(web with content with (updat\$4 or chang\$3) with time) and (database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L60	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L61	51	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L62	226	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L63	481	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L64	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L65	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L66	274	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

.

•

/				r		·
L67	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L68	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L69	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L70	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L71	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L72	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L73	22	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L74	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L75	12668	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

	·····			1	····	
L76	55	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L77	206	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L78	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L79	140	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L80	198	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L81	150	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L82	960	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L83	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L84	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L85	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

L86	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L87	2634	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L88	195	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L89	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟN	2007/09/15 11:56
L90	248	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L91	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L92	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "60555522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L93	9	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L94	176	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L95	11	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

L96	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L97	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L98	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L99	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L100	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L101	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L102	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L103	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L104	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

L105	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2007/09/15 11:56
			DERWENT; IBM_TDB			
L106	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L107	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L108	20	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L109	45	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L110	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L111	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L112	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L113	36	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L114	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56

•

					<u> </u>	
L115	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L116	93	(web with content with (updat\$4 or chang\$3) with time) and (database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
L117	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/15 11:56
S1	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "6055522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 13:59
S2	2559	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:00
S3	238	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:01
S4	6	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:02
S5	177	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:02
S6	125	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:28
S7	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:35

		· · · · · · · · · · · · · · · · · · ·				
S8	11	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:33
S9	191	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:41
S10	52	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:41
S11	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:02
S12	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:37
S13	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:37
S14	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S15	21	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S16	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S17	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:05

S18	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:39
S19	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:36
S20	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:49
S21	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:37
S22	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S23	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S24		(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:04
S25	14	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:39
S26	898	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:06

S27	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:20
S28	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 15:09
S29	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 15:09
S30	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:39
S31	122	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:39
S32	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:49
S33	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:40
S34	196	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:50
S35	43	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:05

S36	270	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:06
S37	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:06
S38	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:07
S39	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:07
S40	19	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 18:33
S41	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 18:59
S42	434	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:00
S43	207	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:00
S44	49	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:21
S45	35	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:09

· · · ·						······
S46	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:08
S47	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:03
S48	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25
S49	12641	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25
S50	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25
S51	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:26
S52	174	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:26
S53	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:30
S54	91	(web with content with (updat\$4 or chang\$3) with time) and (database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:47
S55	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:50

.

[]				1		l
S56	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 12:19
S57	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 12:19
S58	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "6055522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S59	2614	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S60	244	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S61	6	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S62	187	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S63	134	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S64	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S65	11	(generat\$4 or creat\$4) with ((content or media or web) adj pagė) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

,						
S66	199	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S67	55	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S68	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S69	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S70	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S71	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S72	22	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S73	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S74	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S75	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

·						
S76	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S77	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S78	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S79	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S80	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S81	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S82	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S83	941	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S84	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/03/10 13:37

.

S85	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S86	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S87	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S88	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S89	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S90	43	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S91	122	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S92	196	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S93	270	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S94	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

.

S95	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S96	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S97	19	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S98	434	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S99	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 0	207	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 1	49	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 2	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 3	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 4	35	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

.

S10 5	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 6	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 7	12641	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 8	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S10 9	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S11 0	174	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S11 1	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S11 2	91	(web with content with (updat\$4 or chang\$3) with time) and (database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S11 3	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37